CONTENTS

PART 1 JULY 2002

ALLARY, M., SCHREVEL, J. and FLORENT, I. Properties, stage-dependent expression and localization of *Plasmodium falciparum* M1 family zinc-aminopeptidase 1

BURET, A. G., MITCHELL, K., MUENCH, D. G. and SCOTT, K. G. E. *Giardia lamblia* disrupts tight junctional ZO-1 and increases permeability in non-transformed human small intestinal epithelial monolayers: effects of epidermal growth factor 11

BAJER, A., BEDNARSKA, M., PAWEŁCZYK, A., BEHNKE, J. M., GILBERT, F. S. and SINSKI, E. Prevalence and abundance of *Cryptosporidium parvum* and *Giardia* spp. in wild rural rodents from the Mazury Lake District region of Poland 21

GILES, M., WARHURST, D. C., WEBSTER, K. A., WEST, D. M. and MARSHALL, J. A. A multiplex allele specific polymerase chain reaction (MAS-PCR) on the dihydrofolate reductase gene for the detection of *Cryptosporidium parvum* genotypes 1 and 2 35

ZINTL, A., WESTBROOK, C., SKERRETT, H. E., GRAY, J. S. and MULCAHY, G. Chymotrypsin and neuraminidase treatment inhibits host cell invasion by *Babesia divergens* (Phylum *Apicomplexa*) 45

GONZÁLEZ, A. C., MARTÍNEZ, E., CARMELO, E., PIÑERO, J. E., ALONSO, V., DEL CASTILLO, A. and VALLADARES, B. Analysis of NLS and rRNA binding motifs in the L25 ribosomal protein from *Leishmania* (*Viannia*) *braziliensis*: investigation of its diagnostic capabilities 51

HOGG, J. C., IRONSIDE, J. E., SHARPE, R. G., HATCHER, M. J., SMITH, J. E. and DUNN, A. M. Infection of *Gammarus duebeni* populations by two vertically transmitted microsporidia; parasite detection and discrimination by PCR–RFLP 59

HERTZBERG, H., HUWYLER, U., KOHLER, L., REHBEIN, ST and WANNER, M. Kinetics of exsheathment of infective ovine and bovine strongylid larvae *in vivo* and *in vitro* 65

DOLAN, K. M., JONES, J. T. and BURNELL, A. M. Detection of changes occurring during recovery from the dauer stage in *Heterorhabditis bacteriophora* 71

RYDER, J. J. and GRIFFIN, C. T. Density-dependent fecundity and infective juvenile production in the entomopathogenic nematode, *Heterorhabditis megidis* 83

PART 2 AUGUST 2002

BOËTE, C., PAUL, R. E. L. and KOELLA, J. C. Reduced efficacy of the immune melanization response in mosquitoes infected by malarial parasites 93

ATTWOOD, S. W., UPATHAM, E. S., MENG, X. H., QIU, D.-C. and SOUTHGATE, V. R. The phylogeography of Asian *Schistosoma* (Trematoda: Schistosomatidae) 99

ARMSON, A., MENON, K., O'HARA, A., MACDONALD, L. M., READ, C. M., SERGENT, K., THOMPSON, R. C. A. and REYNOLDSON, J. A. Efficacy of oryzalin and associated histological changes in *Cryptosporidium*-infected neonatal rats 113

TSUKADA, H., HAMAZAKI, K., GANZORIG, S., IWAKI, T., KONNO, K., LAGAPA, J. T., MATSUO, K., ONO, A., SHIMIZU, M., SAKAI, H., MORISHIMA, Y., NONAKA, N., OKU, Y. and KAMIYA, M. Potential remedy against *Echinococcus multilocularis* in wild red foxes using baits with anthelmintic distributed around fox breeding dens in Hokkaido, Japan 119

KLEEMAN, S. N., LE ROUX, F., BERTHE, F. and ADLARD, R. D. Specificity of PCR and *in situ* hybridization assays designed for detection of *Marteilia sydneyi* and *M. refringens* 131

TINSLEY, R. C., CABLE, J. and PORTER, R. Pathological effects of *Pseudodiplorchis americanus* (Monogenea: Polystomatidae) on the lung epithelium of its host, *Scaphiopus couchii* 143

STEPEK, G., AUCHIE, M., TATE, R., WATSON, K., RUSSELL, D. G., DEVANEY, E. and HARNETT, W. Expression of the filarial nematode phosphorylcholine-containing glycoprotein, ES62, is stage specific 155

AKHKHA, A., KUSEL, J., KENNEDY, M. and CURTIS, R. Effects of phytohormones on the surfaces of plant-parasitic nematodes 165

SHARON, E., SPIEGEL, Y., SALOMON, R. and CURTIS, R. H. C. Characterization of *Meloidogyne javanica* surface coat with antibodies and their effect on nematode behaviour 177
FRANZ, K. and KURTZ, J. Altered host behaviour: manipulation or energy depletion in tapeworm-infected copepods? 187

PART 3 SEPTEMBER 2002

LACHAUD, L., CHABBERT, E., DUBESSAY, P., DEREURE, J., LAMOTHE, J., DEDET, J.-P. and BASTIEN, P. Value of two PCR methods for the diagnosis of canine visceral leishmaniasis and the detection of asymptomatic carriers 197
ARGUELLO-GARCIA, R., ARGUELLO-LOPEZ, C., GONZALES-ROBLES, A., CASTILLO-FIGUEROA, A. M. and ORTEGA-PIERRES, M. G. Sequential exposure and assembly of cyst wall filaments on the surface of encysting *Giardia duodenalis* 209
HUBBARD, A., LIANG, S., MASZLE, D., QIU, D., GU, X. and SPEAR, R. C. Estimating the distribution of worm burden and egg excretion of *Schistosoma japonicum* by risk group in Sichuan Province, China 221
COSGROVE, C. L. and SOUTHGATE, V. R. Mating interactions between *Schistosoma mansoni* and *S. margrebowiei* 233
IBRAHEM, M. M., RAFIEI, A., DAR, F. K., AZWAI, S. M., CARTER, S. D. and CRAIG, P. S. Serodiagnosis of cystic echinococcosis in naturally infected camels 245
VOTÝPKA, J., OBORNÍK, M., VOLF, P., SVOBODOVÁ, M. and LUKEŠ, J. *Trypanosoma avium* of raptors (Falconiformes): phylogeny and identification of vectors 253
FERREIRA, C. A. S., BARBOSA, M. C., SILVEIRA, T. C. L., VALENZUELA, J. G., DA SILVA VAZ JR, I. and MASUDA, A. cDNA cloning, expression and characterization of a *Boophilus microplus* paramyosin 265
KAMAL, M., DEHLAWI, M. S., ROSA BRUNET, L. and WAKELIN, D. Paneth and intermediate cell hyperplasia induced in mice by helminth infections 275
PATERSON, S. and VINEY, M. E. Host immune responses are necessary for density dependence in nematode infections 283
MORLEY, N. J., CRANE, M. and LEWIS, J. W. Toxicity of cadmium and zinc to cercarial tail loss in *Diplostomum spathaceum* (Trematoda: Diplostomidae) 293
BOOK REVIEW 303

PART 4 OCTOBER 2002

DELBECQ, S., PRECIGOUT, E., VALLET, A., CARCY, B., SCHETTERS, T. P. M. and GORENFLOT, A. *Babesia divergens*: cloning and biochemical characterization of Bd 37 305
DEPOIX, D., CARCY, B., JUMAS-BILAK, E., PAGES, M., PRECIGOUT, E., SCHETTERS, T. P. M., RAVEL, C. and GORENFLOT, A. Chromosome number, genome size and polymorphism of European and South African isolates of large *Babesia* parasites that infect dogs 313
ROMESTAND, B., CORBIER, F. and ROCH, P. Protease inhibitors and haemagglutinins associated with resistance to the protozoan parasite, *Perkinsus marinus*, in the pacific oyster, *Crassostrea gigas* 323
ENEMARK, H. L., AHRENS, P., JUEL, C. D., PETERSEN, R. F., ANDERSEN, J. S., LIND, P. and THAMSBORG, S. M. Molecular characterization of Danish *Cryptosporidium parvum* isolates 331
SCHLEIN, Y. and JACOBSON, R. L. Linkage between susceptibility of *Phlebotomus papatasi* to *Leishmania major* and hunger tolerance 343
CHLYEH, G., HENRY, P.-Y., SOURROUILLE, P., DELAY, B., KHALLAAYOUNE, K. and JARNE, P. Population genetics and dynamics at short spatial scale in *Bulinus truncatus*, the intermediate host of *Schistosoma haematobium*, in Morocco 349
KLÄGER, S. L., WATSON, A., ACHUKWI, D., HULTMARK, D. and HAGEN, H.-E. Humoral immune response of *Simulium damnosum* s.l. following filarial and bacterial infections 359
FASIHI HARANDI, M., HOBBS, R. P., ADAMS, P. J., MOBEDI, I., MORGAN-RYAN, U. M. and THOMPSON, R. C. A. Molecular and morphological characterization of *Echinococcus granulosus* of human and animal origin in Iran 367

SUTHERLAND, I. A., MOEN, I. C. and LEATHWICK, D. M. Increased burdens of drug-resistant nematodes due to anthelmintic treatment 375
DE MAERE, V., VERCAUTEREN, I., SAVERWYNS, H., CLAEREBOUT, E., BERX, G. and VERCRUYSSE, J. Identification of potential protective antigens of *Ostertagia ostertagi* with local antibody probes 383

PART 5 NOVEMBER 2002

RAYNER, J. C., CORREDOR, V., FELDMAN, D., INGRAVALLO, P., IDERABDULLAH, F., GALINSKI, M. R. and BARNWELL, J. W. Extensive polymorphism in the *Plasmodium vivax* merozoite surface coat protein MSP-3α is limited to specific domains 393
COURTENAY, O., QUINNELL, R. J., GARCEZ, L. M. and DYE, C. Low infectiousness of a wildlife host of *Leishmania infantum*: the crab-eating fox is not important for transmission 407
DOENHOFF, M. J., STANLEY, R. G., GRIFFITHS, K. and JACKSON, C. L. An anti-atherogenic effect of *Schistosoma mansoni* infections in mice associated with a parasite-induced lowering of blood total cholesterol 415
KIM, H. S., KAM, K. Y., RYU, P. D., HONG, S. J., JEON, J. S., JEON, B. H., KIM, K. J. and PARK, J. B. A gadolinium and pH-sensitive hyperpolarization-activated cation current in acutely isolated single neurones from *Fasciola hepatica* 423
DUKE, B. O. L., MARTY, A. M., PEET, D. L., GARDON, J., PION, S. D. S., KAMGNO, J. and BOUSSINESQ, M. Neoplastic change in *Onchocerca volvulus* and its relation to ivermectin treatment 431
BOAG, P. R., RANGANATHAN, S., NEWTON, S. E. and GASSER, R. B. A male-specific (cysteine-rich) protein of *Oesophagostomum dentatum* (Strongylida) with structural characteristics of a serine protease inhibitor containing two trypsin inhibitor-like domains 445
POINAR, G. JR. First fossil record of nematode parasitism of ants; a 40 million year tale 457
EHMAN, K. D. and SCOTT, M. E. Female mice mate preferentially with non-parasitized males 461
IGLESIAS, L., VALERO, A., GÁLVEZ, L., BENITEZ, R. and ADROHER, F. J. *in vitro* cultivation of *Hysterothylacium aduncum* (Nematoda: Anisakidae) from 3rd-stage larvae to egg-laying adults 467
SHERIFF, J. C., KOTZE, A. C., SANGSTER, N. C. and MARTIN, R. J. Effects of macrocyclic lactone anthelmintics on feeding and pharyngeal pumping in *Trichostrongylus colubriformis in vitro* 477
COLEBROOK, A. L., JENKINS, D. D. and LIGHTOWLERS, M. W. Anti-parasitic effect of cyclosporin A on *Echinococcus granulosus* and characterization of the associated cyclophilin protein 485
BOOK REVIEWS 406, 422, 456, 494

PART 6 DECEMBER 2002

KABA, S. A., NENE, V., MUSOKE, A. J., VLAK, J. M. and VAN OERS, M. M. Fusion to green fluorescent protein improves expression levels of *Theileria parva* sporozoite surface antigen p67 in insect cells 497
LORENZI, M. C. and BAGNÈRES, A. G. Concealing identity and mimicking hosts: a dual chemical strategy for a single parasite? (*Polistes atrimandibularis*, Hymenoptera: Vespidae) 507
CASTILLO, M. G. and YOSHINO, T. P. Carbohydrate inhibition of *Biomphalaria glabrata* embryonic (Bge) cell adhesion to primary sporocysts of *Schistosoma mansoni* 513
SATO, H., KUSEL, J. R. and THORNHILL, J. Functional visualization of the excretory system of adult *Schistosoma mansoni* by the fluorescent marker resorufin 527
GABRIËL, S., DE BONT, J., PHIRI, I. K., MASUKU, M., RIVEAU, G., SCHACHT, A. M., BILLIOUW, M. and VERCRUYSSE, J. The influence of colostrum on early *Schistosoma mattheei* infections in calves 537
BOATIN, B. A., TOÉ, L., ALLEY, E. S., NAGELKERKE, N. J. D., BORSBOOM, G. and HABBEMA, J. D. F. Detection of *Onchocerca volvulus* infection in low prevalence areas: a comparison of three diagnostic methods 545

SCIACCA, J., KETSCHEK, A., FORBES, W. M., BOSTON, R., GUERRERO, J., ASHTON, F. T., GAMBLE, H. R. and SCHAD, G. A. Vertical migration by the infective larvae of three species of parasitic nematodes: is the behaviour really a response to gravity? 553

WINTER, M. D., MCPHERSON, M. J. and ATKINSON, H. J. Neuronal uptake of pesticides disrupts chemosensory cells of nematodes 561

MACNISH, M. G., MORGAN-RYAN, U. M., MONIS, P. T., BEHNKE, J. M. and THOMPSON, R. C. A. A molecular phylogeny of nuclear and mitochondrial sequences in *Hymenolepis nana* (Cestoda) supports the existence of a cryptic species 567